

Experiment Report Form

The double page inside this form is to be filled in by all users or groups of users who have had access to beam time for measurements at the ESRF.

Once completed, the report should be submitted electronically to the User Office using the **Electronic Report Submission Application:**

<http://193.49.43.2:8080/smis/servlet/UserUtils?start>

Reports supporting requests for additional beam time

Reports can now be submitted independently of new proposals – it is necessary simply to indicate the number of the report(s) supporting a new proposal on the proposal form.

The Review Committees reserve the right to reject new proposals from groups who have not reported on the use of beam time allocated previously.

Reports on experiments relating to long term projects

Proposers awarded beam time for a long term project are required to submit an interim report at the end of each year, irrespective of the number of shifts of beam time they have used.

Published papers

All users must give proper credit to ESRF staff members and proper mention to ESRF facilities which were essential for the results described in any ensuing publication. Further, they are obliged to send to the Joint ESRF/ ILL library the complete reference and the abstract of all papers appearing in print, and resulting from the use of the ESRF.

Should you wish to make more general comments on the experiment, please note them on the User Evaluation Form, and send both the Report and the Evaluation Form to the User Office.

Deadlines for submission of Experimental Reports

- 1st March for experiments carried out up until June of the previous year;
- 1st September for experiments carried out up until January of the same year.

Instructions for preparing your Report

fill in a separate form for each project or series of measurements.

type your report, in English.

include the reference number of the proposal to which the report refers.

make sure that the text, tables and figures fit into the space available.

if your work is published or is in press, you may prefer to paste in the abstract, and add full reference details. If the abstract is in a language other than English, please include an English translation.



	Experiment title: A Programme of XAFS Studies on a variety of Functional and Advanced Materials. Part B -XAFS studies on some iron, cobalt, nickel, copper and zinc-containing spinels (nanophase)	Experiment number: 01-01-654
Beamline: SNBL	Date of experiment: from: 16. June to: 20. June 2004	Date of report: 25.01.05
Shifts: 12	Local contact(s): Wouter Van Beek	<i>Received at ESRF:</i>

Names and affiliations of applicants (* indicates experimentalists):

Astrid Lund Ramstad and Camilla Nordhei,

Department of Chemistry, Norwegian University of Science & Technology, Høgskoleringen 5, N-7491 Trondheim, Norway.

Report:

Part B -XAFS studies on some iron, cobalt, nickel, copper and zinc-containing spinels (nanophase)

Functional materials e.g. the oxygen-deficient functional oxide ferrite spinels (AFe_2O_4 where A is here a divalent metal ion; Co, Ni and Zn) have been synthesised according to procedures reported in the literature [1,2] and identified by XRD. The average sizes of the nanoparticles have been calculated using the Debye-Scherrer equation [3] from the (311 & 440) line widths of the XRD, and they were estimated to be in the range 2-15 nm.

XAS data were collected in June (01-01-654) and the data are now under processing. We are currently comparing the XAFS data for the different nanophases. In addition we collected XANES spectra. These data are very useful for establishing the A or Fe sites occupations because these affect the valence states.

The XAS spectra were measured in the transmission mode at the Fe, Co, Ni, and Zn K-edges, and they are not of good quality as seen from Figure 1 below. Please note the glitches in the spectra. These glitches appeared at the same energy values in the absorption spectrum, for each scan, and must therefore originate from the monochromator.





Figure 1: The Fe K -edge absorption spectrum (left) and its k^3 weighted EXAFS spectrum (right) of an iron and cobalt-containing spinel.

References

1. A.S. Albuquerque, J.D. Ardisson, W.A.A. Macedo, J.L. Lopez, R. Paniago, A.I.C. Persiano, *J. Magnetism and Magnetic Materials*, 226-230 (2001), 1370-1381.
2. Q. Chen, A.J. Rondinone, B.C. Chakoumakos, Z.J. Zhang, *J. Magnetism and Magnetic Materials*, 194 (1999) 1-7.
3. S.R. Davis, A.V. Chadwick and J. Wright, *J. Mater. Chem.*, 8(9) (1998) 2065-2071.

