


Experiment Report Form

	Experiment title: Multiferroic-like core-shell particles based on Prussian blue analogues : influence of the lattice mismatch between core and shell	Experiment number: MA-2511
	Beamline: BM1A	Date of experiment: from: 15/04/2015 to: 17/04/2015
Shifts: 6	Local contact(s): Dmitry CHERNYSHOV, dmitry.chernyshov@esrf.fr	<i>Received at ESRF</i>
Names and affiliations of applicants (* indicates experimentalists): - Dr. Isabelle MAURIN* - Adeline ADAM* - Dr. Eric LARQUET* Laboratoire de Physique de la Matière Condensée, UMR7643, Ecole Polytechnique, 911128 Palaiseau Cedex.		

Strain engineering of photo-induced phase transformations in Prussian blue analogue heterostructures

Adeline Adam,^a Mélanie Poggi,^a Eric Larquet,^a Robert Cortès,^a Lucio Martinelli,^a Pierre-Eugène Coulon,^b Eric Lahera,^{c,d} Olivier Proux,^{c,d} Dmitry Chernyshov,^e Kamel Boukheddaden,^f Thierry Gacoin^a and Isabelle Maurin^{*a}

Heterostructures based on Prussian blue analogues (PBA) combining photo- and magneto-striction have shown a large potential for the development of light-induced magnetization switching. However, the studies of the microscopic parameters which control the transfer of the mechanical stresses across the interface and their propagation in the magnetic material are still too scarce to efficiently improve the elastic coupling. Here, this coupling strength is tentatively controlled by strain engineering in heteroepitaxial PBA core-shell heterostructures involving a same $\text{Rb}_{0.5}\text{Co}[\text{Fe}(\text{CN})_6]_{0.8} \cdot z\text{H}_2\text{O}$ photostrictive core and isostructural shells of similar thickness and variable mismatch with the core lattice. The shell deformation and the optical electron transfer at the origin of photostriction are monitored by combined *in situ* and in real time synchrotron x-ray powder diffraction and x-ray absorption spectroscopy under visible light irradiation. These experiments show that rather large strains, up to +0.9%, are developed within the shell in response to the tensile stresses associated with the expansion of the core lattice upon illumination. The shell behavior is however complex, with contributions in dilatation, in compression or unchanged. We show that a tailored photo-response in terms of strain amplitude and kinetics with potential applications for a magnetic manipulation using light requires a trade-off between the quality of the interface (which needs small lattice mismatch i.e., small a -cubic parameter for the shell) and the shell rigidity (decreased for large a -parameter). A shell with a high compressibility that is further increased by the presence of misfit dislocations will decrease its mechanical retroaction on the photo-switching properties of the core particles.

^a *Physique de la Matière Condensée, Ecole Polytechnique, CNRS, Université Paris-Saclay, 91128 Palaiseau, France.*

^b *Laboratoire des Solides Irradiés, Ecole polytechnique, CNRS, CEA, Université Paris-Saclay, 91128 Palaiseau, France.*

^c *BM30B/FAME beamline, ESRF - The European Synchrotron, 71 Avenue des Martyrs, 38000 Grenoble, France.*

^d *Université Grenoble Alpes, Observatoire des Sciences de l'Univers de Grenoble, OSUG-FAME, UMS 832 CNRS, 38041 Grenoble cedex 9, France.*

^e *The Swiss-Norwegian Beam-Lines, ESRF - The European Synchrotron, 71 Avenue des Martyrs, 38000 Grenoble, France.*

^f *Groupe d'Etude de la Matière Condensée, CNRS, Université de Versailles St-Quentin, Université Paris-Saclay, 45, avenue des Etats Unis, 78035 Versailles, France.*

† Corresponding author: isabelle.maurin@polytechnique.edu