


Experiment title:

Low temperature structural behaviour of stannite and kesterite

Experiment number:

MA4234

Beamline: ID22	Date of experiment: from: 14 November 2018 to: 17 November 2018	Date of report: <i>Received at ESRF:</i>
Shifts: 9	Local contact(s): Mashikoane Wilson Mogodi	

Names and affiliations of applicants (* indicates experimentalists):

Francesco Di Benedetto * - University of Florence, Dept. Earth Sciences, Firenze, Italy

Lorenzo Donini * - University of Florence, Dept. Earth Sciences, Italy

Michela La Bella * - University of Florence, Dept. Earth Sciences, Italy

Alberto Martinelli * - SPIN-CNR, Genova, Italy

Andrea Giaccherini * - University of Florence, Dept. Earth Sciences, Firenze, Italy

Giovanni Lepore * - IOM-CNR c/o OGG, ESRF, Grenoble, France

Giordano Montegrossi * - IGG-CNR, Firenze, Italy

Report:

In the present experiment, four samples of natural specimens and synthetic analogues of members of the stannite-kesterite pseudobinary joins were investigated by means of high quality X-ray Powder Diffraction. The experimental set up included the use of a cryostat, in order to obtain a full structural characterisation in the range of temperature values between 5 and 275 K. XRPD patterns were registered every 5 or 10 K interval, and longer acquisitions, dedicated to extract the pdf function, were operated at 5 and 275 K. The materials were analysed inserted in borosilicate capillary tubes, in contact with the cryogenic gas, i.e. vapours of He (**Fig. 1**).

The median chemical composition of the investigated samples is listed herer below:

Sample	label	origin	formula
#1	1495	natural	$\text{Cu}_2\text{Fe}_{0.9}\text{Zn}_{0.1}\text{SnS}_4$
#2	1499	natural	$\text{Cu}_2\text{Fe}_{0.75}\text{Zn}_{0.25}\text{SnS}_4$
#3	1496	natural	$\text{Cu}_2\text{Fe}_{0.5}\text{Zn}_{0.5}\text{SnS}_4$
#4	kes500	synthetic	$\text{Cu}_2\text{ZnSnS}_4$

In a previous experiment a further sample, i.e. a synthetic stannite $\text{Cu}_2\text{FeSnS}_4$ has been already analysed. The experiments were successful, with a almost complete utilisation of the beamtime.




Figure 1- sample holder and capillary tube in the inset

The preliminary results achieved during this experiment can be included in the long debated scientific question concerning the Fe-Zn replacement in this pseudobinary join. On one hand, Zn can replace Fe starting from the nominal stannite composition, up to the kesterite one, without necessity of changing the space group. This mechanism would occur by simple intrasite replacement. On the other hand, the replacement of Fe by Zn is not simple, involving two cation sites, with a combined change of metal occupancy. This mechanism produces

a decrease in symmetry, and a change of space group (**Fig. 2**). Obvious consequences in the physical properties (as e.g. band gap and magnetism) and of thermodynamic stability (with the necessity of a miscibility gap) can be devised.

Exemplar results of the XRPD experimental data achieved in this experiment are shown in the **Figure 3**, where the temperature dependence of the position of a Bragg reflection of the 1499 sample is plotted. The graph highlights the continuous shifts towards high 2θ values, and a discontinuity in the T range between 50 and 25 K.




Figure 2 - structural models of stannite (left)




Figure 3 - plot of the best fit of the pair distribution function of the 1499 sample




Figure 4 - plot of a reflection for the 1499 sample vs temperature

In a similar way, **Figure 4** depicts an exemplar fit of the pair distribution function analysis of the 1499 sample, revealing the excellent agreement of the structural model used to fit the experimental data, and the high coherence of the metal distribution with the proposed scheme.

Among the most impressive results, a structural transition occurring at low temperature (well highlighted by the comparison of the experimental temperature dependent cell volume data and their Grüneisen fit), also verified by independent magnetic susceptibility measurements (**Figure 5**)




Figure 5 - Grüneisen plot of the 1499 sample (left); magnetic susceptibility versus temperature plot of the same sample (right)